

THE ALL-ROUND SCHATTELLO GIANT SUNSHADE

Outdoor catering without large sunshades is no longer conceivable.



Technology in perfection

Our reliable drive system has been proven thousands of times: the robust bevel gears, the unique self-locking, aluminium threaded spindle in combination with a polyamide lifting element guarantee smooth and easy opening and closing of our giant sunshades even after many years of operation.

3 x 4 m rectangular, without valance, with rain gutter.



Ø 5 m, without valance.

COMBINE VALUE WITH UTILITY

Sunshades are outstanding advertising media. When the shade is closed, just slip on the protective cover printed with ads of your choice to achieve an ultimate off-season marketing effect. (See also figure on page 25)



4 x 5 m rectangular, e.g. alternating colour segments (1/8-division), 1/4-division also possible.



Illumination with halogen lamps.



Side-walk café.

SCHATTELLO GIANT SUNSHADES

TECHNICAL DATA AND STANDARD SIZES



Schattello 5 x 5 m.

Rectangular Schattello with rain gutter.



Elegant decorative ball with screw-off head plate.




Robust sunshade rods of extruded aluminum profiles.




Spokes with supporting struts. The spacer prevents jamming of the covering.



Removable stainless steel crank for opening and closing.




Model Schattello	S Ø 4 m	S Ø 5 m	S Ø 6 m	S Ø 6 m	S Ø 7 m
Panels	8	8	8	12	12
Area m ²	12	19	27	28	38
Height closed cm	410	425	440	450	465
Height opened cm	303	318	333	343	358
Headroom with valance cm	205	205	200	205	205
Headroom without valance cm	227	227	222	227	227
Height of valance cm	28	28	28	28	28
Table clearance (from spoke edge) cm	193	158	123	123	85
Weight without packaging kg	27	34	43	52	58
Packaging cardboard tube	Ø 33 cm, length 444 cm, weight 17 kg			Ø 35 cm, l. 444 cm, weight 18 kg	



Model Schattello	S 4x4 m	S 5x5 m	S 3x4 m	S 3x5 m	S 4x5 m	S 4x6 m
Panels	8	8	8	8	8	8
Area m ²	16	25	12	15	20	24
Height closed cm	425	440	387	387	425	440
Height opened cm	318	333	280	280	318	333
Headroom with valance cm	215	215	205	205	215	215
Headroom without valance cm	237	237	227	227	237	237
Height of valance cm	22	22	22	22	22	22
Table clearance (from spoke edge) cm	122	69	132	87	89	69
Weight without packaging kg	32	43	28	32	36	40
Packaging cardboard tube	Ø 33 cm, length 444 cm, weight 17 kg					

Base and Ballast



If the ground is unstable, the installation base should be enlarged.

Sunshade size	Base width/length/ground frost resistant	Minimum ballast for mobile installation with full frame pedestal
Ø 4 m, Ø 5 m,	50/50 cm	1 layer of concrete slabs, 50 x 50 x 5 cm
3 x 4 m, 3 x 5 m, 4 x 4 m, 4 x 5 m,	50/50 cm	1 layer of concrete slabs, 50 x 50 x 5 cm
Ø 6 m, Ø 7 m, 4 x 6 m, 5 x 5 m	60/60 cm	2 layers of concrete slabs, 50 x 50 x 5 cm

For opening/closing functions see drawing page 15.

Note: Intermediate sizes as well as special sizes on request. Above particulars are to be understood as approximate and refer to framework fitted with Leacril covering. Heights are based on sunshades with full frame pedestals.



May Gerätebau GmbH
Zum Mühlbach 1
88422 Betzenweiler
Germany

Fon: + 49 (0) 73 74/ 92 09 0
Fax: + 49 (0) 73 74/ 92 09 30
info@may-online.de
www.may-online.com

PLEASE FEEL FREE TO CONTACT US
FOR ADDITIONAL INFORMATION: